Natural Engineer
Version 4.4.2
Batch Processing
for Mainframes



Manual Order Number: NEE442-026MFR

Copyright © August 2003, Generation Systems Ltd., East Grinstead, UK.

This document applies to Natural Engineer version 4.4.2 and to all subsequent releases.

Specifications contained herein are subject to change, and these changes will be reported in subsequent revisions or editions.

Readers' comments are welcomed. Comments may be addressed to the Documentation Department at the address on the back cover. Internet users may send comments to the following e-mail address:

document@gensystems.com

Acknowledgements

Microsoft, Windows, Windows NT, Visio and Visual Basic are either trademarks or registered trademarks of Microsoft Corporation in the United States and/or other countries.

IBM, CICS, OS/390, VSE/ESA and WebSphere are either trademarks or registered trademarks of the IBM Corporation in the United States and/or other countries.

Sun, iPlanet and Solaris are either trademarks or registered trademarks of Sun Microsystems Corporation in the United States and/or other countries.

Netscape is a trademark or registered trademark of the Netscape Communications Corporation in the United States and/or other countries.

All other trademarks and registered trademarks are the sole property of their respective owners.

TABLE OF CONTENTS

ABOUT THIS MANUAL	1
Purpose of this manual	
Target Audience	
Typographical Conventions used in this manual	
How this manual is organized	
Terminology	
Related Literature	
1. NATRJE	9
Chapter Overview	9
Natural Engineer Remote Job Entry screen	
Release Application Lock	
Requesting Reports through Natural Engineer RJE	
NATRJE User Exit	23
INDEX	25

ABOUT THIS MANUAL

Purpose of this manual

This manual contains the Batch Processing (Mainframes) for Natural Engineer.

It describes the Natural Engineer RJE (NATRJE) function which is used to submit batch jobs for the various Natural Engineer options.

The topics include:

- The NATRJE Job Submission screen
- How to Release a locked application
- How reports are selected and submitted

Target Audience

The target audience for this manual is intended to be any User of Natural Engineer at any level of experience.

Typographical Conventions used in this manual

The following conventions are used throughout this manual:

UPPERCASE TIMES	Commands, statements, names of programs and utilities referred to in text paragraphs appear in normal (Times) uppercase.	
UPPERCASE BOLD COURIER	In illustrations or examples of commands, items in uppercase bold courier must be typed in as they appear.	
<>	Items in angled brackets are placeholders for user-supplied information. For example, if asked to enter <file number="">, you must type the number of the required file.</file>	
Underlined	Underlined parts of text are hyperlinks to other parts within the online source manual. This manual was written in MS-Word 97 using the "hyperlink" feature.	

The following symbols are used for instructions:

\Rightarrow	Marks the beginning of an instruction set.
	Indicates that the instruction set consists of a single step.
1.	Indicates the first of a number of steps.

About this manual

How this manual is organized

This manual is organized to reflect all the Batch Processing options of Natural Engineer in the following chapters:

Chapter Contents

Describes the Natural Engineer RJE (NATRJE) option, how to release a locked application and how reports are selected and submitted.

Terminology

It is assumed that you are familiar with general Natural and mainframe terminology, as well as the terms and concepts relating to Microsoft Windows operating systems. This section explains some terms that are specific to the Natural Engineer product.

Analysis

The Analysis process of Natural Engineer searches application data within the Natural Engineer Repository, according to specified Search Criteria and generates reports on the search results.

Application

An Application is a library or group of related libraries, which define a complete Application. In Natural Engineer, the Application can have a one-to-one relationship with a single library of the same name, or a library of a different name, as well as related steplibs. The Application refers to all the source code from these libraries, which Natural Engineer loads into the Repository.

Browser

An Internet Browser such as Microsoft Internet Explorer or Netscape.

Category

Categories in Natural Engineer specify whether and how a Modification is applied to the Natural code. Valid categories are: Automatic change, Manual change, Reject the default Modification, No change to the data item, and the data item is in Generated Code.

A category is further broken down according to type of change (for example: Keyword, Literal, Data Item, Database Access, Definition).

Consistency

An option in the Analysis process that causes Natural Engineer to trace an Impact through the code, using left and right argument resolution to identify further code impacted by the code found.

Environment

The Environment process is the means by which Natural Engineer generates a structured view of the application code in the Natural Engineer Repository. This provides application analysis reports and inventory information on the application and is used as the basis for Impact Analysis.

Exception

An Exception is an Item identified as impacted that does not require a Modification. Where there are a few similar Exception Items, they can be treated as Exceptions, and rejected in the Modification review process. Where there are many similar (therefore not Exceptions), consideration should be given to changing the Search Criteria so they are not identified as impacted in the first place.

Generated Code

This is code which has been generated by a Natural code generator, such as Construct, and which is not normally modified directly in the Natural editor.

Impact

An Impact is an instance of a Natural code Item; e.g., data item or statement (a "hit" scored by the Analysis process) that matches the defined Search Criteria used in the Analysis process.

Iteration

An Iteration is one examination cycle of a field identified according to the specified Search Criteria. For example, one Iteration is reading the field right to left. Multiple Iterations are performed when the option of 'Consistency' or Multi Search is requested for Analysis, and Natural Engineer performs as many Iterations as necessary to exhaust all possibilities of expressing and tracing the field, and can be limited by a setting in the NATENG.INI file.

Library

A single library of source code, which exists in the Natural system file.

5

Modification

A Modification is a change suggested or made to an object or data item resulting in the required compliance of that object or data item. Modifications in Natural Engineer are classified according to Category and Type.

Presentation Split Process

The Presentation Split Process is a sub-function of the Object Builder function that removes screen I/O statements from current application objects and places them in generated subprograms.

Soft Link

A Soft Link is where a link between two objects has been defined using an alphanumeric variable rather than a literal constant.

Technical Split Process

The Technical Split Process is a sub-function of the Object Builder function that results in the encapsulation of each database access within the application, into a sub-program so that the application is separated into 'presentation and logic' and 'database access'.

Type

The Type of Modification available, for example: Data Item, Keyword and Literal.

TLM

Text Logic Members are used to contain the code required to support inclusion of common code into the application. An example of this is the code to include into an application before updating a database.

Related Literature

The complete set of Natural Engineer manuals consists of:

1 Natural Engineer Concepts and Facilities (NEE442-006ALL)

The Concepts and Facilities manual describes the many application systems problems and solutions offered by Natural Engineer, providing some guidelines and usage that can be applied to Natural applications.

2 Natural Engineer Release Notes (NEE442-008ALL)

The Release Notes describe all the information relating to the new features, upgrades to existing functions and documentation updates that have been applied to Natural Engineer.

3 Natural Engineer Installation Guide (NEE442-010ALL)

The Installation Guide provides information on how to install Natural Engineer on both PC and mainframe platforms.

4 Natural Engineer Administration Guide (NEE442-040WIN) Natural Engineer Administration Guide (NEE442-040MFR)

The Administration Guide provides information on all the various control settings available to control the usage of the different functions within Natural Engineer.

5 Natural Engineer Application Management (NEE442-020WIN) Natural Engineer Application Management (NEE442-020MFR)

The Application Management manual describes all the functions required to add Natural applications into the Repository.

6 Natural Engineer Application Documentation (NEE442-022WIN) Natural Engineer Application Documentation (NEE442-022MFR)

The Application Documentation manual describes all the available functions to document a Natural application within the Repository. These functions will help enhance / supplement any existing systems documentation such as BSD / CSD / Specifications etc.

7 Natural Engineer Application Analysis and Modification (NEE442-023WIN) Natural Engineer Application Analysis and Modification (NEE442-023MFR)

The Application Analysis and Modification manual describes all the available functions to carry out analysis of Natural applications; including basic keyword searches. The modification process is described and detailed to show how it can be applied to modify single selected objects within a Natural application, or the entire Natural application in one single execution.

8 Natural Engineer Application Restructuring (NEE442-024WIN) Natural Engineer Application Restructuring (NEE442-024MFR)

The Application Restructuring manual describes the analysis and modification functionality required to carryout some of the more sophisticated functions such as Object Builder.

9 Natural Engineer Utilities (NEE442-080WIN) Natural Engineer Utilities (NEE442-080MFR)

The Utilities manual describes all the available utilities found within Natural Engineer and, when and how they should be used.

10 Natural Engineer Reporting (NEE442-025ALL)

The Reporting manual describes each of the reports available in detail, providing report layouts, how to trigger the report and when the report data becomes available. The various report-producing mediums within Natural Engineer are also described.

11 Natural Engineer Batch Processing [Mainframes] (NEE442-026MFR)

The Batch Processing manual describes the various batch jobs (JCL) and their functionality.

12 Natural Engineer WebStar (NWS442-020ALL)

The WebStar manual describes the concepts and facilities, installation and configuration options, how to web enable a Natural application and how to create and execute Natural Short Transactions using the Natural Engineer add-on component WebStar.

13 Natural Engineer WebStar Release Notes (NWS442-008ALL)

The Release Notes describe all the information relating to the new features, upgrades to existing functions and documentation updates that have been applied to the Natural Engineer add-on component WebStar.

14 Natural Engineer Messages and Codes (NEE442-060ALL)

The Messages and Codes manual describes the various messages and codes produced by Natural Engineer.

Chapter Overview

This chapter describes the NATRJE function within Natural Engineer.

Some of the Natural Engineer functions require execution in a batch environment to perform their specific processes. These include functions such as:

- Extract Source Code.
- Load Repository.
- Impact Analysis.
- Apply Modification to objects.
- Produce Reports: Global, Application, Impact and Modification.

Natural Engineer allows batch job submission to be executed online using the NATRJE functionality, driven by the NATRJE Job Submission screen.

The process is controlled by application control record, which is locked at the time of job submission, modified during the job execution as each job step completes and released at the completion of the job.

In the event of any serious failures, the application control record is not released resulting in no further job submission possible until the application is released. This can be done via the NATRJE Job Submission screen, using 'PF9', or using option 'J' (Release Application Lock) from the Options menu.

Use of Natural Engineer's job submission functionality is available on the following mainframe platforms:

- MVS
- VSE
- BS2000.

Natural Engineer Remote Job Entry screen

When any Natural Engineer function has been selected that requires execution in a batch environment, after all the required inputs have been completed and validated, the NATRJE Job Submission screen will always be displayed.

The following Figure 1-1 illustrates the NATRJE Job Submission screen.

```
- Job Submission -
                                                  Application:
            Job Selection details
                Job Selected :
                Impact Version :
            Job Card details
                    Job Name : XGSLXX___
                    Job Class : _
            Job Control Record details
            _____
                           Control Status :
            Last Job Submitted - Job Name
                             - Opid
                              - Step
                              - Return Code :
Enter-PF1---PF2---PF3---PF4---PF5---PF6---PF7---PF8---PF9---PF10--PF11--PF12---
                          Sub Ref
     Help
              Exit
                                                Rel
                                                                 Main
```

Figure 1-1 NATRJE Job Submission screen

Job selected	This will state which Natural Engineer function has been selected to execute in batch. (This field is non-modifiable).		
Impact Version	Will show the version being used for this batch job. This is only shown for Impact related batch jobs. (This field is non-modifiable).		
Job Name	This is a mandatory input field, which requires a valid job name to be entered in order for the job to successfully execute.		
	The job name is set to 8 characters and must be entered as per the standards set for the environment in which it will execute. (This will default to the last job executed, details for the same application).		
Job Class	This is a mandatory input field, which requires a valid job class to be entered. This will tell the operating system what machine resources are to be allocated.		
	The job classes that can be specified will depend on the local standards for the environment in which the job will execute. (This will default to the last job executed, details for the same application).		
	NOTE: For BS2000, job class is not shown.		
<u> </u>	ems show the job control record details and reflect the job step execution are all non-modifiable information fields.		
Control Status	Shows the application control record status. Available status values are:		
	'N' Not locked.		
	'Y' Locked. Either job is in progress or a job failure has been encountered.		
Job Name	Shows either the last job name that was executed for the current application or the current job is still executing.		
Opid	The opid of the person submitting the job.		
Step	The last completed job step.		
Return Code	Not updated, set to 00.		

SCREEN ITEMS DESCRIPTION

1

Natural Engineer Batch Processing (Mainframes)

PFKEYS	DESCRIPTION
PF1	Activates the help function.
PF3	Exit from the current function and return to previous screen.
PF5	Submits the job.
PF6	Refreshes the screen.
PF9	Invokes the Release Application Lock processing.
PF12	Returns to the Natural Engineer Main Menu.

Note: When an application has not had any previous NATRJE jobs execute then the details in the job control record details section will be blank.

Release Application Lock

If an application has had a serious failure, then the application control record will be locked preventing any further job batch job submission for that application. This can be seen with control status being set to 'Y'.

The application can be released using 'PF9' from the NATRJE Job Submission screen. This will result in a pop-up window being displayed asking for a password.

The password is set to 'GENRJE01'.

The following Figure 1-2 illustrates the Application Release Authorization pop-up window.

Figure 1-2 Application Release Authorization pop-up window

After typing in the password use the 'ENTER' key. This will give you the Application Batch Release screen.

1

Natural Engineer Batch Processing (Mainframes)

The following Figure 1-3 illustrates the Application Batch Release screen.

```
- Application Batch Release -

Job Control Record details for Application : HOSPITAL

Control Status : Y

Last Job Submitted - Job Name : XGSLXXXX

- Job Class : X

- Opid : XGSLXX

- Step : CTRLUPD

- Return Code : 00

Enter-PF1---PF2---PF3---PF4---PF5---PF6---PF7---PF8---PF9---PF10--PF11--PF12---

Exit Upd Main
```

Figure 1-3 Application Batch Release screen

Application	The application name used for the last submitted job.	
Control Status	This will be set to 'Y' (locked). After releasing the application this will update to show 'N' (unlocked).	
Job Name	The Job Name used for the last submitted job.	
Job Class	The Job Class used for the last submitted job.	
Opid	The opid used for the last submitted job.	
Step	The last completed job step.	
Return Code	Always set to '00'.	
PFKEYS	DESCRIPTION	
PF3	Exit from the current function and return to previous screen.	
PF5	Releases the locked application. The control status will be updated to ${}^{\circ}N^{\circ}$ (unlocked). Batch jobs can now be submitted again for the application.	

Returns to the Natural Engineer Main Menu.

SCREEN ITEMS DESCRIPTION

PF12

1

Natural Engineer Batch Processing (Mainframes)

Locked applications can also be released by selecting option 'J' (Release Application Lock) from the Options Menu. This method requires an application to be selected first and the selected application must have a control status of 'Y' (locked).

The password is the same as before and once entered, results in the display of the Application Batch Release screen (refer to Figure 1-3).

The following Figure 1-4 illustrates the Application Release Authorization pop-up window when using 'J' (Release Application Lock) from the Options Menu.




Figure 1-4 Application Release Authorization pop-up window

Requesting Reports through Natural Engineer RJE

When any of the reporting options: Global, Application, Impact and Modification, are requested they will be submitted as a batch job with the report details found within the job output files.

When selecting one of the reporting options, the Reports Selection List screen is displayed to select the report or reports required. After selection has been made the NATRJE Job Submission screen will be displayed. At least one report selection must be made, if NO reports are selected, then the NATRJE Job Submission process will not be invoked.

Example of Report Request (REPREP)

This example uses the Application Reports option. The process is exactly the same for the Global Impact and Modification report options.

The following Figure 1-5 illustrates the Environment Menu screen where option 'R' (Application Reports) will invoke the Reports Selection List screen.

Code	Extract & Load Functions	Code	Object Inventory
 S	Extract Selection Criteria	A	Application Management
E	Extract Source Code	F	Field Viewer
L	Load Repository	В	Object Explorer
X	Extract & Load		
D	Extract Load & Impact		
0	Extract Missing Objects		
Code	Application Reports	Code	Miscellaneous
т	Application Metrics	?	Help
R	Application Reports		Exit
	Code	R	

Figure 1-5 Environment Menu screen

From the Environment menu, option 'R' is selected to produce Application Reports. This invokes the Application Reports Selection List screen, which will list all the Application reports available

The following Figure 1-6 illustrates the Reports Selection List screen showing the Application Reports available for selection.

```
- Reports Selection List -
                                                          Application: HOSPITAL
                                                               Version: 01
            Sel
                 Report Name
                  Extract Source Code Summary
                 Missing NATURAL Objects
                 Unused NATURAL Objects
                 Source Code Summary
                 Object Summary
                 NATURAL Keywords Summary
                 Objects Referencing Objects
                  Objects Referenced by Objects
                 Objects Referenced by DDM Fields
                 External Objects Referenced by Objects CONSTRUCT Models Referenced by Objects
                 DDMs Referenced
                  DDMs Referenced by Objects
                  DDMs Accessed by Objects
Enter-PF1---PF2---PF3---PF4---PF5---PF6---PF7---PF8---PF9---PF10--PF11--PF12---
      Help
                   Exit
                                             Prev Next
```

Figure 1-6 Reports Selection List screen showing the Application Reports available

Natural Engineer Batch Processing (Mainframes)

SCREEN ITEMS	DESCRIPTION
Sel	Selects the report. Valid values are:
	'S' Select report
	'D' De-select report.
Report Name	The name of each report available for each of the reporting options: Global, Application, Impact and Modification.
	When a report has been selected, an asterisk (*) appears to the left of the report name.

PFKEYS	DESCRIPTION		
PF1	Activates the help function.		
PF3	There are two possible actions:		
	 If no reports have been selected, then exit from the current function and return to previous screen. If at least 1 report has been selected, then invoke the NATRJE Job submission screen. 		
PF7	Displays previous page.		
PF8	Displays next page.		
PF12	Returns to the Natural Engineer Main Menu.		

Reports are selected by using 'S' next to the report and using the 'ENTER' key. This will result in an asterisk (*) appearing next to the selected report.

The following Figure 1-7 illustrates the Application Reports Selection List screen after reports have been selected.

```
Application: HOSPITAL
                        - Reports Selection List -
                                                          Version: 01
          Sel Report Name
              * Extract Source Code Summary
              * Missing NATURAL Objects
              * Unused NATURAL Objects
              * Source Code Summary
                Object Summary
                NATURAL Keywords Summary
                Objects Referencing Objects
                Objects Referenced by Objects
                Objects Referenced by DDM Fields
                External Objects Referenced by Objects
                CONSTRUCT Models Referenced by Objects
                DDMs Referenced
                DDMs Referenced by Objects
                DDMs Accessed by Objects
Enter-PF1---PF2---PF3---PF4---PF5---PF6---PF7---PF8---PF9---PF10--PF11--PF12---
                                         Prev Next
      Help
                 Exit
                                                                       Main
```

Figure 1-7 Reports Selection List screen after reports have been selected

1

Natural Engineer Batch Processing (Mainframes)

Once all required reports are selected, use 'PF3' (Exit) to pass control to the Natural Engineer RJE Job Submission screen.

The following Figure 1-8 illustrates the NATRJE Job Submission screen for Application Reports.

```
- Job Submission -
                                                  Application: HOSPITAL
            Job Selection details
                Job Selected : (REPREP) APPLICATION REPORTS
            Job Card details
                    Job Name : XGSLXX__
                    Job Class : _
            Job Control Record details
                           Control Status :
            Last Job Submitted - Job Name
                             - Opid
                              - Step
                              - Return Code :
Enter-PF1---PF2---PF3---PF4---PF5---PF6---PF7---PF8---PF9---PF10--PF11--PF12---
     Help Exit Sub Ref
                                                Rel
                                                                  Main
```

Figure 1-8 NATRJE Job Submission screen for Application Reports

Now the job can be submitted using 'PF5' (Sub).

NATRJE User Exit

A user exit is available for use with the NATRJE function, which allows any local standard security issues to be controlled.

The user exit is NEEUEX2 and is located on the FNAT library SYSNEE. The default code in the user exit will call NATRJE directly. Any local changes required can be applied directly to NEEUEX2 and then stowed on SYSNEE.

Note: The user exit is named 'NEEUEX2X' on the FNAT SYSNEE library supplied in the product INPL. This is to avoid overwriting any existing (modified) versions on the production SYSNEE library during load.

The following Figure 1-9 illustrates the default NEEUEX2 source code.

```
0010 DEFINE DATA PARAMETER
0020 01 #NATRJE-CARDS
                             (A80/1:50)
0030 01 #NATRJE-COUNT
                             (B4)
0040 01 #NATRJE-FLAG
                             (A1)
0050 01 #NATRJE-RETHEX
                             (B2)
0060 END-DEFINE
0070 /*
0080 CALL 'NATRJE' #NATRJE-CARDS(1:50)
0090
     #NATRJE-COUNT
0100
     #NATRJE-FLAG
0110
     #NATRJE-RETHEX
0120 /*
0130 END
```

Figure 1-9 Default NEEUEX2 source code

INDEX

N

NATRJE User Exit, 23 Natural Engineer Remote Job Entry screen, 10 \mathbf{R}

Release Application Lock, 13 Requesting Reports through NATRJE, 17 Example of Report Request, 18